


1/13

FIG. 1



2/13

*FIG. 2*

SOURCE PORT NUMBER			DESTINATION PORT. NUMBER		
SEQUENCE NUMBER					
ACKNOWLEDGEMENT NUMBER					
DATA OFFSET	RESERVE	CONTROL FLAG	WINDOW		
CHECKSUM			EMERGENCY POINTER		
OPTION				PADDING	

*FIG. 3*

TRANSMITTED DATA SEGMENT										
ACKNOWLEDGEMENT RECEIVED			ACKNOWLEDGEMENT NOT RECEIVED							
500	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500
			CONGESTION WINDOW							

send\_una      2000  
 snd\_max       3000  
 snd\_nxt       3500  
 snd\_cwnd      6MSS  
 snd\_wnd       100MSS  
 sstresh       65535Bytes

FIG. 4





FIG. 7

TRANSMITTED DATA SEGMENT											
ACKNOWLEDGEMENT NOT RECEIVED											
500	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500	
CONGESTION WINDOW											

send\_una     500  
snd\_max     2000  
snd\_nxt     2500  
snd\_cwnd    4MSS  
snd\_wnd     100MSS  
sstresh     65535Bytes


4/13

*FIG. 5*




5/13

FIG. 6




6/13

FIG. 8




7/13

FIG. 9



8/13


FIG. 10






9/13

*FIG. 11*




10/13

FIG. 12




11/13

FIG. 13



12/13

FIG. 14



13/13

FIG. 15

